

Emerald[®]



- Our finest paint with unsurpassed overall performance.
- Exceptional hide, coverage, durability and washability.
- Paint and primer in one with advanced stain-blocking technology.
- Antimicrobial agents inhibit the growth of mold and mildew on the paint surface.

AESTHETICS AND DURABILITY ARE IMPORTANT

INTERIOR PAINTS

The key properties for evaluating interior paints include hide, touchup, washability, scrubs, stain resistance, burnish resistance and smooth application.

Duration[®]



- Most stains wipe clean with soap and water.
- Minimal colour rub-off and less visible shine after washing.
- Antimicrobial agents inhibit the growth of mold and mildew on the paint surface.

Superpaint[®]



- Paint and primer in one for fast and easy application.
- Excellent hide and durability.
- Excellent scrubbability.
- Available in Flat, Velvet, Satin and Semi-Gloss.

Porch & Floor Enamel



- Ideal for both interior and exterior hightraffic surfaces porches, patios, basement stairs and floors, workshops, laundry areas, storage rooms and more.
- Excellent washability maximizes the life cycle of the subrate.
- Stands up to even the toughest household chemicals.
- Lifetime warranty.

Opulence[®]



- Smooth, easy application.
- Self-levelling formula reduces brush and roller marks.
- Scrubbable for easy cleaning.

Quali-Kote[®]



- High quality latex interior paint
 - with great touch-up capabilities.
- Great coverage.

ProClassic[®]



- Durable with great adhesion.
- Excellent flow and levelling for a smooth finish.
- Durable finish is great for windows, doors and trim.



All Surface Enamel HP



- Perfect for aluminum, masonry, plaster, steel, galvanized steel, wood, doors and windows.
- Excellent durability, exterior colour and gloss retention.
- Latex formula, smooth, yet tough alkyd-like finish.
- Available in Eg-Shel, Semi-Gloss and Gloss.

Snapdry[®]



• Dries in as little as one hour.

AESTHETICS AND DURABILITY ARE IMPORTANT

INTERIOR PAINTS

burnish resistance and smooth application.

The key properties for evaluating interior paints include hide, touchup, washability, scrubs, stain resistance,

- Interior/exterior application.
- Resistant to dirt, fingerprints, UV and weathering.
- Doors can be closed in one hour without sticking.

Eminence[®]



- Delivers a bright white finish.
- A flat finish specifically formulated to help hide surface imperfections and block new stains from forming.
- Applies easily with a smooth consistency.
- No primer needed covers in just one coat.
- Dries quickly, resists spattering and offers long-lasting beauty.

Emerald® Urethane Trim Enamel



- A smooth and luxurious finish for doors and trim. Delivers a finish that withstands wear and tear and goes on in fewer coats.
- Durable finish is great for windows, doors and trim.
- Interior/exterior waterbased urethane modified alkyd with the look and feel of an alkyd/oil finish.

Captivate[®] Interior Latex



- Paint and Primer in One.
- Easy to control application and hide.
- Dependable durability.
- Available in Flat, Satin and Semi-Gloss.



Emerald® Exterior Acrylic Latex



- Best-in-class, overall performance.Extreme resistance to peeling,
- blistering and fading.
- Exceptional durability and hide.
- Self-priming with smooth, uniform appearance.
- Can beapplied attemperatures as low as 2°C (35F).

DURABILITY IS KEY

EXTERIOR PAINTS

The performance features for evaluating exterior paints include resistance to peeling, blistering, fading, chalking, mildew, and dirt.

Duration® Exterior Acrylic Latex

- Provides a thicker more flexible layer compared to ordinary latex paint.
- Excellent resistance to cracking, peeling, and blistering.
- Self-priming for one-coat performance on repaints.
- Can be applied attemperatures as low as 2°C (35°F).
- Available in Flat, Satin and Gloss.

Superpaint[®] Exterior Latex



- Formulated with Advanced Resin Technology for excellent adhesion, hide and colour retention.
- Excellent coverage and durability. Provides a dirt-resistant and mildew-resistant coating.
- Withstands the elements and resists frost, peeling, blistering, and cracking.





- Dependable bonding.
- Ideal application for peeling siding and trim.
- Use on smooth or textured surfaces including wvood, plywood, composition board, masonry, concrete, cement, block, stucco, vinyl, aluminum, galvanized steel or steel.
- Fast dry.

A-100[®]



- Good hide, adhesion and colour retention.
- Efficient coverage.
- Can be applied at temperatures as low as 2°C (35°F).
- 100% Acrylic Formula.
- Available in Flat, Satin and Gloss.

Latitude[®] Exterior Acrylic Latex



- Resists early moisture in as little as 30 minutes twice as fast as most exterior coatings.
- Applies smoothly with air, surface, and material temperatures ranging from 2°C - 48 °C (35°F - 120°F).
- Flows easily and levels to a smooth, premium finish even in extreme temperatures.





SuperDeck[®] Deck & Dock Coating



- Helps to smooth and fill rough, damaged surfaces.
- Delivers maximum hide.
- Resistance to algae and mildew.
- UV protection and long lasting colour.

DURABILITY IS KEY

EXTERIOR STAINS

The Performance features for evaluating exterior stains invlude resistance to peeling, blistering, fading, and IR Reflectivity

SuperDeck[®] Deck Wash



- Removes stains caused by dirt, mildew or algae.
- Cleans and renews weathered, uncoated pressure-treated and composite decking.

SuperDeck[®] Stain & Sealer Remover



- Removes weathered latex stains, oil-based stains, toners, and clear finishes.
- Removes some solid color stains.
- Provides a more uniform final finish coat.
- Must be followed with an application of Revive.



- SuperDeck[®] Revive Deck & Siding Brightener
 - Removes weathered latex stains, oil-based stains, toners, and clear finishes.
 - Removes some solid color stains.
 - Provides a more uniform final finish coat.
 - Must be followed with an application of Revive.

SuperDeck[®] Modified-Oil Transparent Wood Stain (250 VOC)



- Quality iron oxide pigments to create lasting colors and inhibit UV damage caused by the sun.
- Excellent water repellency.
- This coating contains agents that inhibit the growth of mildew on the surface of the coating.

SuperDeck[®] Acrylic-Alkyd S-P Solid Color Stain (250 VOC)



- Oil Primer and Latex Top Coat in One Formula.
- Sprayable formula.

SuperDeck[®] WB Semi-Solid Color Deck Stain IR

• Perfect solution to chalky stucco surfaces.

SuperDeck[®] Waterborne Semi-Solid Color Deck Stain



- Provides rich pigmented appearance, allows some natural wood grain to show through.
- Repels water on new or weathered wood.
- Can be applied to damp or dry wood.
- Soap and water cleanup.



- Contains pigments that reflect solar rays back into the atmosphere, helping reduce the exterior surface temperature of decks exposed to direct sunlight.
- Contains agents which inhibit the growth of mildew, so decks stay cleaner and fresher looking in any climate.
- Tolerant of damp surfaces.



SuperDeck[®] Waterborne Solid Color Deck Stain



- Provides durable, opaque protection.
- Protects new, weathered or previously stained wood or composite.
- Can be applied to dry or damp wood.
- Water clean up.

DURABILITY IS KEY

EXTERIOR STAINS

The Performance features for evaluating exterior stains invlude resistance to peeling, blistering, fading, and IR Reflectivity

SuperDeck[®] Waterborne Solid Color Deck Stain IR



- Contains pigments that reflect solar rays back into the atmosphere, helping reduce the exterior surface temperature of decks exposed to direct sunlight.
- Contains agents which inhibit the growth of mildew, so decks stay cleaner and fresher looking in any climate.
- Tolerant of damp surfaces.

SuperDeck[®] Waterborne Semi-Transparent Deck Stain 3-Year



- Provides rich pigmented appearance, allows wood grain texture to show through.
- Repels water on new or weathered wood.
- Can beapplied to damp or dry wood.
- Soap and water cleanup.





- Designed specifically for exterior log homes, wood decks, benches, even outdoor wood furniture. May be used on interior vertical logs.
- UV inhibitors and exceptional water-beading properties help extend the life of the finish, so the sleek, satin sheen lasts for years.





Exterior Waterbase Solid Stain (WoodScapes[®])

- Monocasce Provinces Provin
- Enhances appearance and texture for great curb appeal.
- Penetrates for exceptional protection and resistance to peeling.
- Thick formula for uniform finish with great coverage.
- Low temperature application to 2°C(35°F).
- 8 Year Limited Warranty.

DURABILITY IS KEY

EXTERIOR STAINS

The Performance features for evaluating exterior stains invlude resistance to peeling, blistering, fading, and IR Reflectivity

WoodScapes[®] Ext. Premium Translucent Finish

- Washington and the second seco
- Long-term color retention and mildew resistance.
 - Resists cracking and peeling, and protects against UV fading.
 - Enhances appearance and texture for greater curb appeal.
 - Long-lasting protection while resisting water damage.
 - Low temperature application to 2°C(35°F).

WoodScapes[®] Ext. Polyurethane Semi-Transparent Stain



- Enhances appearance and texture for great curb appeal.
- enetrates for exceptional protection and resistance to peeling.
- Thick formula for uniform finish with great coverage.
- Excellent colour retention provides a mildew resistance coating.
- Low temperature application to 2°C(35°F).
- 5 Year Limited Warranty.



A-100[®] Exterior FD Alkyd Wood Primer

• Dries quickly.



- Penetrates and seals bare wood for great adhesion.
- Blocks stains from water, wood, tannins and knots.
- Contains agents which inhibit the growth of Mold and mildew.
- Exterior only.

Exterior Latex Wood Primer



- Adheres tightly to previously painted surfaces, plywood, and bare wood including fir and other softwoods.
- Also adheres well to aluminum, galvanized metal and pre-primed steel.
- Resists mildew.
- Exterior only.

DURABILITY IS KEY

PRIMERS

The key features for evaluating primers include stain-blocking, adhesion, dry time, and smooth application.

Drywall Latex Primer



- A great choice for basic priming at an affordable price.
- Well-suited for priming under flat topcoats.
- Performs on drywall, wood and plywood.
- Interior only.

Exterior Oil-Based Wood Primer



- Penetrates and seals bare wood for strong adhesion and a long lasting finish.
- Resists mildew.
 - Exterior only.

Extreme Block® Interior/Exterior Stain Blocking Alkyd Primer



- Stain Locking Technology has the power to lock and seal off stubborn stains like smoke, fire, and blocks tannin bleed from bare wood.
- Proven Odor Block Technology allows odors to be blocked in the first coat.
- Clear formula remains transparent to preserve aesthetics.

Extreme Block® Interior/Exterior Stain Blocking Waterbased Primer



- Stain Blocking.
- Fast drying.
- Blocks and seals stains from water, smoke, fire, nicotine, knots and tannin bleed.
- Multi-purpose oil-based primer.
- Interior or Exterior use.





- Stains from smoke, fire, nicotine, tannin bleed and more are no match for the Stain Locking Technology.
- Minimal odor, compared to solvent based primers, maximizes customer satisfaction thanks to Odor Block Technology.
- Fast-drying formula helps keep projects on schedule.



Quick Dry Stain Blocking Latex Primer



- Multi-purpose commercial primer now for both interior and exterior.
- Dries in just one hour, so rooms can be topcoated soon after priming.
- Good stain-blocking properties.
- Prime and seal new and previously painted drywall, wood and plaster.
- Meets stringent VOC regulations.

Multi-Purpose Interior Oil-Based Primer

à	ļ
Multi-Purpose Oil-Based Primer Apprêt à Base d'Huin Multi-Usages	Ì
Martin South and American Martin South and A	
)

- Can be used on many interior surfaces including wood, hardboard, cured plaster, paneling and ceiling tiles.
- Dries quickly and assures a uniform finish.
- Seals out water sensitive stains, dried water stains, smoke stains and related odors, grease, ink, and pencil stains.
- Interior only.

Multi-Purpose Latex Primer

DURABILITY IS KEY

PRIMERS

Interior and exterior primer.

The key features for evaluating primers include stainblocking, adhesion, dry time, and smooth application.

- Excellent stain-blocking and hiding.
- Good adhesion and bonding.
- Can be used as a pre-wallcovering primer to promote easy removal.
- Can be applied in temperatures as low as 2°C (35°F).

Premium Interior Wall & Wood Latex Primer



Multi-Purpose Isages Multiple Latex Frimer Approtau Latex

- Assures professional looking results on wood trim, doors and walls.
- Allows the finish coat to develop a full and consistent sheen and offers exceptional ability to maintain topcoat gloss.
- Ideal for use under ProClassic[®] and Opulence[®] topcoats.
- Quick drying.
- Interior only.





SPECIALTY PRIMERS

The key features for evaluating primers include stainblocking, adhesion, dry time, and smooth application.

PrimeRx® Peel Bonding Primer



- Seals surfaces and assures a smoother finish.
- Saves time, money and labour with less sanding and scraping.
- Goes on milky-white for ease of application and dries clear.
- Compatible with any of our exterior acrylic topcoats.
- Cleans up easily with soap and water.

White Synthetic Shellac Interior Stain Blocking Primer



- Extremely effective in blocking the most resistant odours and stains including smoke damage, water stains, tannins andwood knots.
- Compatible with a full range of latex topcoats.
- deal for fire restoration.
- Seals in damage caused by water leaks, pet odor and cigar smoke.

Loxon[®] Water Blocking Primer/Finish



- Saves time and money with a primer and finish coat in a single product.
- Anti-microbial agents inhibit the growth of mold and mildew on the paint surface.
- Odour-eliminating technology reduces common household odours and smells associated with damp environments.

White Pigmented Shellac Primer

- Tightly bonds to many glossy surfaces.
- Assures uniform appearance of topcoats.
- One-coat application.
- Assures adhesion of the topcoat to hardto-stick surfaces.
- Sanding may not be necessary for most clean, paintable surfaces.

Extreme Bond Primer



- Premium paint for windows, doors, trim and cabinets.
- Hard, durable finish in fewer coats.
- Available in satin, gloss and semi-gloss sheens.
- Available in satin, gloss and semi-gloss.

Loxon[®] Concrete Masonary Primer



- Seals and adheres to concrete, plaster, brick, stucco, fiber cement siding and EIFS exterior insulated siding.
- Masks pinholes and surface imperfections while preventing peeling caused by alkali salt damage.
- Saves the time and money typically lost while waiting for complete curing of concrete surfaces.

SHERWIN-WILLIAMS



CONCRETE CARE

Choosing the right product for the job is key for all concrete projects. Key features to consider are durability, water-proofing, elastomeric properties, and weather resistance

H&C Clarisheild[®] Solvent Based Concrete Sealer 250



- Seals and protects cement surfaces.
- Provides a durable, glossy finish.
- Crystal clear, non-yellowing.
- Resists water, pool chemicals and UV rays.
- Suitable for driving surfaces.

Sheild-Crete[®] Waterbased Epoxy Garage Floor Coating



- No induction, or sweat-in time is necessary, just mix and apply.
- Pull your car back into the garage in just 3 days.
- It is resistant to chemical agents and damage caused by gasoline, brake fluid, standing water and battery acid.
- Water-based clean up with just soap and water.

H&C Clarisheild[®] Waterbased Wet Look Concrete Sealer



- Interior and exterior use.
- Can be used on bare or painted concrete and masonry surfaces.
- High solid content.
- Suitable for driving surfaces.
- Ideal gloss finish over Solid Colour Stain WaterBase.



H&C Clarisheild[®] Oil Based

- Solid Colour Concrete Stain

 For use on exterior horizontal or
 - vertical surfaces.
 - Suitable for driving surfaces.
 - Satin finish preserves delicate architectural details.
 - Resists UV rays, oil, gasoline and hot water.
 - Available in a variety of ready-to-use and tintable colours.

H&C Colortop[®] Waterbased Solid Colour Concrete Stain



- Can be used on new or used concrete.
- Can be used on previously painted concrete surfaces with proper preparation as well as asphalt surfaces.
- Resistant to acids, UV rays, oil, gas & alkali.
- Provides a mildew resistant coating
- Interior & exterior use.

H&C Sharkgrip[®] Slip Resistant Additive

- NE REAL REAL PROFESSION
- Creates a slip-resistant surface when added to any H&C topcoat.
- Mixes easily.
- Easier to clean than sand textured surfaces.
- Easy on bare feet.



H&C Hydro-Defend®



- Non-film forming.
- Protects against freeze/thaw cycles.
- Will not alter color or texture of surface.
- Resists damage from water, salt, dirt and other contaminants.

DURABILITY IS KEY

CONCRETE CARE

Choosing the right product for the job is key for all concrete projects. Key features to consider are durability, water-proofing, elastomeric properties, and weather resistance



PROFESSIONAL COATINGS

Choose the right products to get the job done. Evaluate coverage, smooth application, scrubs, stain resistance, durability, and washability.

Promar[®] 200 0VOC



- Exceptional durability, easy application, and excellent hide.
- Anti-microbial agents inhibit the growth of mold and mildew on the paint surface.
- Available in flat, low gloss eg-shel, low sheen eg-shel, egshel, semi-gloss and gloss.
- Outstanding touch-up reduces repaint costs.

Quali-Kote[®]



- High-hiding, high quality interior latex.
- Excellent Coverage.
- Available in Flat, Satin, Lo-Sheen, Semi-Gloss and Pearl finish.

Promar® Ceiling Paint



- Super-flat finish diminishes small surface flaws, reducing callbacks and improving the final appearance.
- Self-priming properties achieve an attractive finish in one fewer step than many buildergrade ceiling paints.
- Great adhesion and hide provide reliable results at an affordable price point.

Preprite Block Filler[®]



- Filling and finish system in one product.
- Allows topcoat on concrete block to be smooth and uniform.
- Effective above grade, unpainted, masonary surfaces.
- Interior and exterior use.

Builders Soloution®



- A solution to masking drywall imperfections.
- Optimal touchup including near perfect flat finish touch-up.
- Outstanding scrubability.
- Outstanding burnish resistance.

Dry Erase Coating®



- Turn most walls into a dry erase board.
- Use this clear gloss over any paint colour.
- Durable finish wipes clean no "ghosting".
- Ideal for schools, conference rooms, message boards - commercial or residential settings.
- Exclusively for sale to professional paint contractors.



PROFESSIONAL COATINGS CONCRETE CARE

Choosing the right product for the job is key for all concrete projects. Key features to consider are durability, waterproofing, elastomeric properties, and weather resistance

Loxon XP[®] Masonry Coating



- Ultimate protection for masonry.
- Exceptional flexibility, durability and fade resistance.
- Protects against wind-driven rain, alkali, cracking and efflorescence.
- High build for one less coat compared to conventional masonry coatings.

Loxon[®] Exterior Acrylic Coating



- Highly alkali and efflorescence resistant.
- Provides a highly durable and weatherresistant finish.
- The topcoat contains agents that inhibits growth of mildew on coating surface.
- For concrete, cement composition panels, concrete block, brick, and stucco.

H&C Hydro-Defend®



- Interior and exterior use.
- Protects against water damage.
- Guards against repeated freeze-thaw cycles and damage from deicing salts.
- One coat is sufficient in most cases but a second coat may be applied in 2-4 hours.
- It is not recommended for vehicular traffic.

Bridges hairline

Conflex XL® High Build Coating

- Bridges hairline cracks and keeps water out, even in wind-driven rain.
 - Provides high film build and easy application with excellent efflorescence resistance.
 - Available in smooth and textured finishes with a wide range of custom colors.

Sherlastic[®] Elastomeric Coating



- Prevents water damage on interior surfaces.
- Covers & hides hairline cracks, elongates.
- Easy to apply.
- Resists efflorescence.
- Wide range of colors, tintable.